

Qualified Combination Ovens

Updated 1/8/2018

| Brand Name | Model Number | Additional Model Information | Size (Steam Pans) | Fuel Type | Preheat Energy (Btu or kWh) | Idle Rate (Btu/h or kW) | Convection Mode Energy Efficiency (%) | Production Capacity (lbs/h) | Cooking Water Use (gph) | Idle Rate (Btu/h or kW) | Steam Mode Energy Efficiency (%) | Production Capacity (lbs/h) | Cooking Water Use (gph) |
|-------------|------------------|------------------------------|-------------------|-----------|-----------------------------|-------------------------|---------------------------------------|-----------------------------|-------------------------|-------------------------|----------------------------------|-----------------------------|-------------------------|
| Alto-Shaam | 7.14 ESG | | 14 | Gas | 8,100 | 7,930 | 49% | 133 | 0.0 | 9,530 | 40% | 198 | 4.6 |
| Alto-Shaam | CTC7-20G | | 16 | Gas | 6,773 | 5,517 | 60% | 173 | 1.3 | 1,654 | 52% | 161 | 0.9 |
| Alto-Shaam | CTP10-20G | | 22 | Gas | 8,682 | 6,964 | 61% | 225 | 7.7 | 3,298 | 51% | 261 | 6.6 |
| Alto-Shaam | CTP20-20G | | 40 | Gas | 16,117 | 12,193 | 63% | 402 | 0.4 | 2,537 | 50% | 325 | 9.1 |
| Alto-Shaam | CTP7-20G | | 14 | Gas | 6,767 | 5,950 | 59% | 142 | 10.6 | 5,456 | 47% | 250 | 12.2 |
| Blodgett | BLC*-102G | | 20 | Gas | 7,042 | 6,717 | 60% | 181 | 0.0 | 17,254 | 42% | 148 | 19.1 |
| Blodgett | BLC*-62G | | 10 | Gas | 6,621 | 4,212 | 59% | 114 | 0.0 | 13,431 | 50% | 144 | 10.0 |
| Convotherm | C4e* 10.20 GS | | 22 | Gas | 7,559 | 7,127 | 63% | 227 | 0.0 | 7,066 | 58% | 299 | 1.7 |
| Convotherm | C4e* 20.20 GB | | 40 | Gas | 13,996 | 10,270 | 61% | 391 | 3.3 | 11,927 | 48% | 352 | 9.6 |
| Convotherm | C4e* 6.20 GB | | 14 | Gas | 5,187 | 5,438 | 62% | 132 | 0.0 | 7,439 | 51% | 167 | 4.3 |
| Convotherm | C4e* 6.20 GS | | 14 | Gas | 4,977 | 5,101 | 62% | 141 | 0.0 | 5,003 | 58% | 204 | 2.5 |
| Convotherm | OG6-6.20 | | 14 | Gas | 6,509 | 5,144 | 60% | 150 | 19.1 | 12,123 | 44% | 198 | 10.8 |
| Convotherm | OG6-10.20 | | 22 | Gas | 8,540 | 7,100 | 61% | 210 | 0.0 | 7,370 | 47% | 277 | 0.9 |
| Convotherm | OG6-20.20 | | 40 | Gas | 17,901 | 6,703 | 61% | 415 | 42.3 | 10,604 | 57% | 649 | 14.8 |
| Convotherm | OG6-6.20 | | 14 | Gas | 5,140 | 4,801 | 59% | 133 | 0.0 | 5,099 | 57% | 187 | 2.2 |
| Electrolux | AOS062GCP1 | | 12 | Gas | 4,356 | 7,175 | 55% | 132 | 0.0 | 11,752 | 48% | 160 | 2.9 |
| Eloma | Genius *T10-11 | | 10 | Gas | 5,396 | 8,000 | 60% | 103 | 0.0 | 13,317 | 51% | 189 | 4.2 |
| Eloma | Genius *T6-11 | | 6 | Gas | 3,763 | 5,077 | 57% | 66 | 0.0 | 9,515 | 48% | 119 | 2.9 |
| Henny Penny | FGG115 | | 10 | Gas | 4,960 | 3,755 | 61% | 104 | 0.0 | 8,081 | 53% | 168 | 9.2 |
| Henny Penny | GCC615 | | 6 | Gas | 3,655 | 4,481 | 52% | 60 | 0.0 | 7,455 | 44% | 78 | 7.3 |
| Henny Penny | GSC115 | | 10 | Gas | 5,234 | 5,531 | 57% | 90 | 0.0 | 8,467 | 46% | 140 | 6.1 |
| Lainox | NAGB071US | | 7 | Gas | | 4,650 | 56% | 63.3 | 2.6 | 7,531 | 42% | 106.9 | 4.7 |
| Lang | CPE 2.10G | | 20 | Gas | 7,042 | 6,717 | 60% | 181 | 0.0 | 17,254 | 42% | 148 | 19.1 |
| Piper | HMG072X | | 14 | Gas | 6,093 | 6,456 | 54% | 124 | 16.2 | 14,905 | 46% | 211 | 19.4 |
| Piper | NAGB071 | | 7 | Gas | 3,750 | 4,650 | 56% | 63 | 2.6 | 7,531 | 43% | 107 | 4.7 |
| Rational | B1182* | | 10 | Gas | 9,908 | 4,365 | 62% | 106 | - | 5,743 | 44% | 251 | - |
| Rational | B1282* | | 20 | Gas | 8,130 | 5,340 | 57% | 189 | 0.3 | 7,380 | 43% | 313 | 17.3 |
| Rational | B2282* | | 40 | Gas | 12,556 | 9,403 | 56% | 373 | 12.1 | 14,447 | 56% | 630 | 32.6 |
| Rational | B6182* | | 6 | Gas | 3,170 | 3,735 | 57% | 64 | 3.5 | 8,430 | 45% | 119 | 12.0 |
| Rational | B6282* | | 12 | Gas | 4,952 | 3,558 | 58% | 126 | 9.2 | 7,769 | 54% | 232 | 12.0 |
| Rational | SCC102G | | 20 | Gas | 7,347 | 8,152 | 55% | 184 | 21.0 | 11,979 | 45% | 281 | 39.6 |
| Rational | SCC61G | | 6 | Gas | 3,855 | 5,269 | 51% | 66 | 8.3 | 12,035 | 48% | 94 | 8.2 |
| Rational | SCCWE101NG | | 10 | Gas | 9,908 | 4,365 | 62% | 106 | - | 5,743 | 44% | 251 | 17.3 |
| Rational | SCCWE102NG | | 20 | Gas | 8,130 | 5,340 | 57% | 189 | 0.3 | 7,380 | 43% | 313 | 32.6 |
| Rational | SCCWE202NG | | 40 | Gas | 12,556 | 9,403 | 56% | 373 | 12.1 | 14,447 | 56% | 630 | 12.0 |
| Rational | SCCWE61NG | | 6 | Gas | 3,170 | 3,735 | 57% | 64 | 3.5 | 8,430 | 45% | 119 | 12.0 |
| Rational | SCCWE62NG | | 12 | Gas | 4,952 | 3,558 | 58% | 126 | 9.2 | 7,769 | 54% | 232 | 0.4 |
| Rational AG | CMP 61 G | | 6 | Gas | | 3,290 | 64% | 56 | 0.0 | 4,570 | 47% | 114 | 0.56 |
| Rational AG | CMP 62 G | | 12 | Gas | | 3,990 | 67% | 119 | 0.0 | 5,302 | 53% | 217 | 0.2 |
| Rational AG | SCC WE 101G | | 10 | Gas | 83,500 | 4,431 | 65% | 95 | 0.0 | 7,690 | 49% | 185.96 | 0.4 |
| Rational AG | SCC WE 102G | | 20 | Gas | 170,000 | 5,172 | 63% | 188.36 | 0.0 | 8,008 | 50% | 303.2 | 0.5 |
| Rational AG | SCC WE 201G | | 20 | Gas | 167,000 | 7,834 | 61% | 186.75 | 0.0 | 9,002 | 52% | 353.69 | 0.6 |
| Rational AG | SCC WE 202G | | 40 | Gas | 340,000 | 8,251 | 57% | 374.7 | 0.0 | 10,084 | 57% | 661.72 | 0.2 |
| Rational AG | SCC WE 61G | | 6 | Gas | 49,000 | 3,392 | 61% | 55.82 | 0.0 | 4,174 | 43% | 113.54 | 0.2 |
| Rational AG | SCC WE 62G | | 12 | Gas | 106,000 | 3,317 | 62% | 119.45 | 0.0 | 5,070 | 48% | 217 | 4.3 |
| UNOX S.p.A. | XAVC-06FS-GPa-xx | ,XAVC-06FS-GPL, | 12 | Gas | 81891 | 2,330 | 57% | 52.38 | 0.0 | 3,869 | 48% | 76.76 | 12.7 |
| UNOX S.p.A. | XAVC-10FS-GPa-xx | ic differences; XAVC-1011-G | 20 | Gas | 119424 | 4,051 | 63% | 188.6 | 0.0 | 4,765 | 49% | 260 | 12.7 |
| UNOX S.p.A. | XAVC-10FS-GPR | ,XAVC-16FS-GPL, | 20 | Gas | 7,975 | 4,051 | 63% | 189 | 0.0 | 4,765 | 49% | 260 | 8.93 |